



EUROPEAN COMMISSION

Directorate-General for Internal Market, Industry, Entrepreneurship and SMEs

Single Market Enforcement

Notification of Regulatory Barriers

Notification Number : 2025/0325/DE (Germany)

Basis for assessment of enamels and ceramic materials in contact with drinking water

Date received : 26/06/2025

End of Standstill : 29/09/2025 (closed)

Message

Message 001

Communication from the Commission - TRIS/(2025) 1654

Directive (EU) 2015/1535

Notification: 2025/0325/DE

Notification of a draft text from a Member State

Notification – Notification – Notifizierung – Нотификация – Oznámení – Notifikation – Γνωστοποίηση – Notificación – Teavitamine – Ilmoitus – Obavijest – Bejelentés – Notifica – Pranešimas – Paziņojums – Notifika – Kennisgeving – Zawiadomienie – Notificação – Notificare – Oznámenie – Obvestilo – Anmälan – Fógra a thabhairt

Does not open the delays - N'ouvre pas de délai - Kein Fristbeginn - Не се предвижда период на прекъсване - Nezahajuje prodlení - Fristerne indledes ikke - Καμία έναρξη προθεσμίας - No abre el plazo - Viivituste perioodi ei avata - Määräaika ei ala tästä - Ne otvara razdoblje kašnjenja - Nem nyitja meg a késésket - Non fa decorrere la mora - Atidējimai nepradedami - Atlikšanas laikposms nesākas - Ma jiftaħx il-perijodi ta' dewmien - Geen termijnbegin - Nie otwiera opóźnień - Não inicia o prazo - Nu deschide perioadele de stagnare - Nezačína oneskorenia - Ne uvaja zamud - Inleder ingen frist - Ní osclaíonn sé na moilleanna

MSG: 20251654.EN

1. MSG 001 IND 2025 0325 DE EN 26-06-2025 DE NOTIF

2. Germany

3A. Bundesministerium für Wirtschaft und Energie, Referat EB3

3B. Bundesministerium für Gesundheit, Referat 614 (Trinkwasserqualität)

4. 2025/0325/DE - B00 - CONSTRUCTION

5. Basis for assessment of enamels and ceramic materials in contact with drinking water

6. Products used for the construction and renovation of drinking water supply systems.

7.

8. The basis for assessment has been amended as follows:



EUROPEAN COMMISSION

Directorate-General for Internal Market, Industry, Entrepreneurship and SMEs
Single Market Enforcement
Notification of Regulatory Barriers

- Zirconium oxide coatings have been added under 6.3.
- The maximum barium content in the positive list (Table 5) for hard ferrite ceramics has been increased to 16 %.

9. The basis for assessment for enamel and ceramic materials in contact with drinking water was last notified under 2024/0189/D, 3rd amendment of the enamel/ceramic evaluation basis.

In the meantime, further applications have been approved positively and further materials have been assessed as suitable for drinking water hygiene and the positive lists must be extended accordingly.

10. Reference to the basic texts: No basic text available

11. No

12.

13. No

14. No

15. No

16.

TBT aspects: No

SPS aspects: No

European Commission

Contact point Directive (EU) 2015/1535

email: grow-dir2015-1535-central@ec.europa.eu